MATERIAL SAFETY DATA SHEET West System Inc.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: WEST SYSTEM[®] 403™ Microfibers.

PRODUCT CODE:...... 403

CHEMICAL FAMILY: Cotton flock.

CHEMICAL NAME: Proprietary blend containing cotton flock.

FORMULA: No information.

MANUFACTURER: **EMERGENCY TELEPHONE NUMBERS:**

West System Inc. 102 Patterson Ave.

CHEMTREC:.....800-424-9300 (U.S.) Bay City, MI 48706, U.S.A.

703-527-3887 (International)

Phone: 866-937-8797 or 989-684-7286 Non-transportation

Poison Hotline: 800-222-1222 www.westsystem.com

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

INGREDIENT NAME CAS# **CONCENTRATION**

Silicon dioxide 7631-86-9 < 20%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS Hazard Rating: Health - 1 Flammability - 1 Physical Hazards - 0

Transportation

CAUTION! Nuisance dust. Avoid excessive inhalation of airborne dust. White powder, no odor.

PRIMARY ROUTE(S) OF ENTRY: Inhalation.

POTENTIAL HEALTH EFFECTS:

become irritated. May cause shortness of breath, coughing, and/or chest tightness due to temporarily physically overloading the lungs.

CHRONIC INHALATION: Repeated excessive inhalation could cause drying of the mucous membranes of the respiratory tract.

ACUTE SKIN CONTACT: May cause temporary irritation and drying of the skin.

skin.

INGESTION: No information.

SYMPTOMS OF OVEREXPOSURE: Irritation of the respiratory tract, sneezing, coughing. Dry,

chapped skin. Redness and tearing of the eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Skin or respiratory conditions, such as asthma and dermatitis.

MSDS#403-08a Last Revised: 03JAN08

4.	FIRST AID MEASURES:		
	FIRST AID FOR EYES:persists, seek medical advice.	. Flush adequately with water to remove particles. If discomfort	
	FIRST AID FOR SKIN:replenish moisture in the skin if necessary.	. Wash with soap and water. Apply moisturizing cream to	
	FIRST AID FOR INHALATION: medical advice.	. Remove to fresh air if effects occur. If effects persists, seek	
	FIRST AID FOR INGESTION:	. No specific information.	
5.	FIRE FIGHTING MEASURES:		
	FLASH POINT:	. No data.	
	EXTINGUISHING MEDIA:	. Water, dry powder or carbon dioxide (CO ₂).	
	SPECIAL FIRE FIGHTING PROCEDURES: When excessive flock dust becomes airborne, a moderate pressure at a substantial rate.	explosion hazard develops. Ignitable. Once ignited, builds	
6.	ACCIDENTAL RELEASE MEASURES:		
	SPILL OR LEAK PROCEDURES: Sweep and shove manner that minimizes airborne dust.	el or use properly grounded vacuum equipment. Do so in a	
7.	HANDLING AND STORAGE:		
	STORAGE TEMPERATURE (min./max.):	.0°F (-17°C)/100°F (38°C)	
	STORAGE:	.Keep dry.	
	HANDLING PRECAUTIONS: Properly ground all material handling equipment to preven	. Avoid generating excessive airborne material when handling. t static discharge.	
8.			
	EYE PROTECTION GUIDELINES: the expected level of exposure.	. Safety glasses or goggles are recommended, depending on	
	SKIN PROTECTION GUIDELINES: may need to be protected by an impervious material to pre	. Areas expected to have repeated exposure, such as hands, event dryness. Barrier creams can be used effectively.	
	RESPIRATORY/VENTILATION GUIDELINES: Work environments should be maintained below applicable as dilution and exhaust ventilation. If this is not feasible, u	e exposure level through the use of engineering controls, such use a NIOSH approved dust mask/respirator for nuisance dust.	
		I water after each use. Apply moisturizing cream to replenish g cleanly and following basic precautionary measures will greatly under normal use conditions.	
	OCCUPATIONAL EXPOSURE LIMITS:OSHA's Permissible Exposure Level (PEL) or the ACGIH	. This product should be treated as a nuisance dust. Refer to Guidelines for information on specific ingredients.	
9.	PHYSICAL AND CHEMICAL PROPERTIES:		
	PHYSICAL FORM	. Powder.	

10.

11.

COLOR	Off-white.
ODOR	Odorless.
BOILING POINT	No data.
MELTING POINT/FREEZE POINT	No data.
pH	
SOLUBILITY IN WATER	Insoluble.
SPECIFIC GRAVITY	1.54
BULK DENSITY	
VAPOR PRESSURE	
VAPOR DENSITY	Not applicable.
% VOLATILE BY WEIGHT	Zero.
. <u>REACTIVITY:</u>	
STABILITY:	Stable.
HAZARDOUS POLYMERIZATION:	Will not occur.
INCOMPATION ITIES	Name to a constitution of the constitution of
INCOMPATIBILITIES:	None known. This product is inert.
DECOMPOSITION PRODUCTS:	Can include carbon monoxide (CO) and carbon dioxide (CO ₂).
TOVICOLOGICAL INFORMATION.	
. TOXICOLOGICAL INFORMATION:	
No toxic effects are expected from this product.	
CARCINOGENICITY:	
NTP	No
IARC	
OSHA	

12. ECOLOGICAL INFORMATION:

No specific information.

13. <u>DISPOSAL CONSIDERATIONS:</u>

WASTE DISPOSAL METHOD: This material is determined not to be a hazardous waste as per RCRA standards, either by listing or characteristics. Disposer must comply with all federal, state and local laws. Landfill is the preferred disposal method.

14. TRANSPORTATION INFORMATION:

D.O.T. SHIPPING NAME:	Not regulated by DOT.
TECHNICAL SHIPPING NAME:	Not applicable.
D.O.T. HAZARD CLASS:	Not applicable
U.N./N.A. NUMBER:	Not applicable
PACKING GROUP:	

15. REGULATORY INFORMATION:

OSHA STATUS:	Hazardous. Nuisance dust.
TSCA STATUS:	All components of this product are in compliance with TSCA
Inventory requirements.	
SARA TÍTLE III:	
SECTION 313 TOXIC CHEMICALS	None.

STATE REGULATORY INFORMATION:

The following chemicals are specifically listed or otherwise regulated by individual states. For details on your regulatory requirements you should contact the appropriate agency in your state.

COMPONENT NAME

Last Revised: 03JAN08

<u>/CAS NUMBER CONCENTRATION STATE CODE</u>

None known.

16. OTHER INFORMATION:

PREPARED BY: T. J. Atkinson APPROVED BY: G. M. House

TITLE: Health, Safety & Environmental Manager

APPROVAL DATE: January 3, 2008
SUPERSEDES DATE: January 3, 2005
MSDS NUMBER: 403-08a

Note: The Hazardous Material Indexing System (HMIS), cited in the Emergency Overview of Section 3, uses the following index to assess hazard rating: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; and 4 = Severe.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of West System Inc. The data on this sheet is related only to the specific material designated herein. West System Inc. assumes no legal responsibility for use or reliance upon these data.