SAFETY DATA SHEET

BLACK POLISH

Version:1-2

Review Date: 15/01/09

91/155/EC (2001/58/EC) - ISO 11014-1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product name: Uses or/and applications: Product code nr: Supplier:

BLACK POLISH wood care 278 Liberon Ltd Mountfield Industrial Estate NEW ROMNEY KENT TN28 8XU

Phone: Fax: E-mail: Emergency phone number:

+44 1797 367555 +44 1797 367575 info.uk@v33.com Doctor to call UK- National Poisons Information Service

2. HAZARDS IDENTIFICATION

Most important hazards:	Highly flammable.
Specific hazards:	none

3. COMPOSITION / INFORMATION ON INGREDIENTS

Formula: Component(s) contributing to the	F0KJT00
hazard:	None according to EC directives.
4. FIRST AID MEASURES	
General advice:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). For symptom description, see item 11.
Inhalation:	Take victim to fresh air, in a quiet place, in an half laying position and if necessary take medical advice. Artificial respiration and/or oxygen if necessary.
Skin contact:	Wash with water and soap as a precaution. If skin irritation persists, take medical advice.
Eye contact:	Wash with plenty of water (during 20 minutes minimum) with eyes wide open after taking off soft contact lenses and immediately take medical advice.
Ingestion:	Do not induce vomiting. Rinse mouth, do not drink anything, keep quiet, and go immediately to hospital or to a doctor.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2), water spray, sand, earth.
Extinguishing media which must NOT be used for safety reasons:	Do not use a solid water stream as it may scatter and spread fire.
Specific method(s):	Cool closed containers exposed to fire with water spray.
	Do not allow run-off from fire fighting to enter drains or water courses.
Specific fire hazard(s):	Explosion risks of vapours.
	Vapours are heavier than air and spread above ground.
	In case of fire, product decomposes in: carbon oxides (CO and CO2) and smokes.
	Concerning product toxicity, see item 11 and about product stability and reactivity see item 10.
Special protective equipment for firefighters:	Use a self-contained breathing apparatus and also a protective suit

6. ACCIDENTAL RELEASE MEASURES

PAGE 1 / 4

SAFETY DATA SHEET BLACK POLISH

Manalan 4.0	BLACK FOLISIT	
Version:1-2	Review Date: 15/01/09	91/155/EC (2001/58/EC) - ISO 11014-1
Personal precaution(s):	Evacuate personnel to a safe area.	
	Remove all sources of ignition.	
	Be careful to flashback of fire.	
	Ensure adequate ventilation.	
	Avoid contact with skin, eyes, or cloth	na
	Concerning personal protective equip	nent to use, see item 8.
Environmental precaution(s):	Stop leak without risks if possible.	
	Dike and contain spill.	
	Do not allow material to contaminate g	
	Concerning disposal elimination after	cleaning, see item 13.
Method(s) for cleaning up:	Soak up with absorbent material (for e	example sand, sawdust, neutral absorbent
Method(3) for cleaning up.	granule, silica gel).	Ample Sand, Sawdust, neutral absorbent
	Shovel into suitable and closed contai	ner for disposal
	Dispose as hazardous waste.	
7. HANDLING AND STORAGE	-	
Handling		
- Precaution(s):	Vapours are heavier than air and may	spread along floors. They may form
	explosive mixtures with air.	-p
	Avoid all eyes and skin contact and do	o not breathe vapour and mist.
	Do not eat, drink and do not smoke in	
	Shower, eyes shower and water point	
	Wear personal protective equipment (
- Technical condition(s):	Explosion-free electrical equipment ar	
	Do not use compressed air to fill, hand	
	Avoid static electricity discharges.	
	Ventilation along floor.	
- Safe handling advice(s):		ude sources of heat, sparks and open
- Sale handling advice(s).	flame. Nonsparking tools should be u	
	Opened containers must be corefully	closed and kept upright to avoid leakage.
Storage	Opened containers must be carefully	ciosed and kept upright to avoid leakage.
- Precaution(s):	Store in a place accessible by authoris	ad persons only
- Trecautori(s).	Keep container tightly closed in a cool	
	Reep container lightly closed in a cool	place.
- Technical condition(s):	Not flammable and waterproof underg	round retention basin.
- Storage condition(s):	Keep container tightly closed and at a	temperature not exceeding (°C): 45 °C
0 ()	Keep away from sources of ignition - I	
	Store away from direct sunlight or othe	er heat sources.
	Store in a well-ventilated place.	
- Separation of incompatible product(s):		
 Packaging / tank material: 	made of the same material as the sup	
 Unsuitable packaging materials: 	Avoid certain plastics which are solub	e in product.
	rubbers	
	aluminium	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measure(s): Control parameter(s): - Exposure limit(s):	Ensure adequate ventilation, especially in confined areas.
Personal protection equipment:	
- Respiratory protection:	In case of insufficient ventilation wear suitable respiratory equipment. (breathing apparatus with filter A)
- Hand protection:	nitrile rubber gloves neoprene gloves
- Skin and body protection:	solvent-resistant apron and boots long sleeved protective clothing
- Eye protection:	Wear closed safety glasses. or face shield

PAGE 2/4

SAFETY DATA SHEET

BLACK POLISH

Version:1-2

Review Date: 15/01/09

91/155/EC (2001/58/EC) - ISO 11014-1

Hygiene measure(s):

Do not eat, drink, or smoke during work. Keep away from food, drink and animal feed. Keep workplace clean and tidy as much as possible.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information	
 Physical state / form: 	liquid
- Colour:	Black
- Odour:	alcoholic
Important health,safety and	
environmental information	
- PH:	Not applicable.
 Boiling point/range: 	Not determined.
- Flash point:	13°C
- Explosion limits:	not determined
- Relative density (water = 1):	0.845 <d<0.860< td=""></d<0.860<>
- Viscosity:	Not determined.
- Water solubility:	insoluble
- Fat solubility:	Not applicable.
- Solvent solubility:	soluble in most organic solvents
10. STABILITY AND REACTIV	(ITY
Stability:	Stable in use and storage conditions as recommended in item 7.
Condition(s) to avoid:	Do not expose at temperatures above 45°C
Material(s) to avoid:	Avoid certain plastics which are soluble in product.
	Reacts violently with:: strong acids, strong bases, oxidising compounds, aldehydes.
Hazardous decomposition products:	Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide.
11. TOXICOLOGICAL INFORM	IATION
General information(s):	There is no data available on the product itself.
Acute toxicity	
- Inhalation:	Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, breathing arrest.
Clein contact:	Franciscut on produce to enter the many defet and dry the abient leading to discount out

- Skin contact:

- Eyes contact:

,	to eves.
- Ingestion:	May cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
	Susceptible to induce: oedema of the lungs, heavy breathing difficulty, dizziness.
12. ECOLOGICAL INFO	ORMATION
Concret information(a):	There is no data available on the product itself

and dermatitis.

Frequent or prolonged contacts may defat and dry the skin, leading to discomfort

Liquid splashes in the eye may cause irritation. (pain, redness) serious damage

General information(s):	I here is no data available on the product itself.
Bioaccumulation:	None bioaccumulation.
Other adverse effects	
13. DISPOSAL CONSIDERAT Waste / unused products:	TONS Collect all waste in suitable and labelled containers and dispose according to local legislation. Can be recycled. Do not dispose of waste into sewer. Destruction by incineration / pyrolyse.
Contaminated packaging:	This container must only be used for this product. Container remains hazardous when empty. Continue to observe all precautions.

PAGE 3/4

SAFETY DATA SHEET

BLACK POLISH

Version:1-2

Review Date: 15/01/09

91/155/EC (2001/58/EC) - ISO 11014-1

Further Information(s):

14. TRANSPORT INFORMATION

General information(s): UN N°:	Transport followed ADR, IMDG, IATA 1263
Land (Road / Railway: ADR/RID)	
- Class:	3
 Verpakkingsgroep: 	II
Sea (IMDG)	
- Class:	3
-Packing group:	II
Air (ICAO/IATA)	

15. REGULATORY INFORMATION

Labelling: According to European directives on classification, packaging and labelling of dangerous substances	
EC number:	Not applicable.
Symbol(s):	F - Highly flammable
R-phrase(s):	11 Highly flammable.
S-phrase(s):	 2 Keep out of the reach of children. 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 46 If swallowed, seek medical advice immediately and show this container or label. 51 Use only in well-ventilated areas.
16. OTHER INFORMATION	
According legislation(s):	This safety data sheet is in compliance with directives and adaptings: 91/155, 67/548, 88/379
	2006/8/EC amending Directive 1999/45/EC
	2004/73/EC: 29 th adaptation of Directive 67/548/EC
Important remarks:	Information in this safety data sheet is based on actual knowledge in our
	possession and our experience. It is recommended to pass the information of this safety data sheet, eventually in
	an appropriated form, to the users.
Uses or/and applications:	wood care
Restrictions:	This information relates to the specific material designated and may not be valid in combination with other product(s).
History	
 First edition date: Review date: 	10/12/07 15/01/09
- Version:	1-2
-Review chapter(s) no. Written by:	V33
···· ···	

PAGE 4/4